



**WOOD  
FINISHES  
DIRECT**



Finish. Finished.

The following Safety Datasheet is provided by **Fiddes**

Wood Finishes Direct cannot be held liable for the information contained within this document.

For purchasing information visit:  
[Fiddes Hard Wax Oil Tints](#)



# SAFETY DATA SHEET

Page 1 of 3

## Fiddes Hard Wax Oil

Revision 7  
Revision date 20-Jan-2011

### 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

**Product name** Fiddes Hard Wax Oil  
**Company** Fiddes & Son Ltd  
Florence Works, Brindley Road, Cardiff, South Glamorgan, CF11 8TX  
info@fiddes.co.uk  
www.fiddes.co.uk  
**Telephone** +44 (0)29 2034 0323  
**Fax** +44 (0)29 2034 3235

### 2. COMPOSITION / INFORMATION ON INGREDIENTS

#### Hazardous ingredients

	Conc.	CAS	EINECS	Symbols/Risk phrases
Dearomatised White Spirit	20 - 30%	64742-48-9	265-150-3	Xn; R65 R10-66

### 3. HAZARDS IDENTIFICATION

**Main hazards** Flammable Harmful: may cause lung damage if swallowed. Repeated exposure may cause skin dryness or cracking.  
**Other hazards** In use, may form flammable/explosive vapour-air mixture.

### 4. FIRST AID MEASURES

**Skin contact** Wash off immediately with plenty of soap and water. Remove contaminated clothing.  
**Eye contact** Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention.  
**Inhalation** Move the exposed person to fresh air. Seek medical attention.  
**Ingestion** DO NOT INDUCE VOMITING. Drink 1 to 2 glasses of water. Seek medical attention.  
**General information** If you feel unwell, seek medical advice (show the label where possible). Keep the affected person warm and at rest. Remove contaminated clothing. Wash all contaminated clothing before reuse.

### 5. FIRE FIGHTING MEASURES

**Extinguishing media** Use extinguishing media appropriate to the surrounding fire conditions. Do NOT use ... Water jet.  
**Protective equipment** Wear: Self-contained breathing apparatus.

### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions** Ensure adequate ventilation of the working area. Keep personnel away from spill. Evacuate personnel to a safe area. Eliminate all sources of ignition.  
**Environmental precautions** Do not allow product to enter drains.  
**Clean up methods** Clean spillage area thoroughly with plenty of water. Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal.

# Fiddes Hard Wax Oil

Revision 7  
Revision date 20-Jan-2011

## 7. HANDLING AND STORAGE

<b>Handling</b>	Wear suitable protective equipment. Do not breathe gas/fumes/vapour/spray. Use in a well ventilated area. Vapours are heavier than air. Avoid contact with eyes and skin.
<b>Storage</b>	Keep in a cool, dry, well ventilated area. Keep containers tightly closed.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<b>Engineering measures</b>	Ensure adequate ventilation of the working area.
<b>Respiratory protection</b>	Wear: Suitable respiratory equipment. Self-contained breathing apparatus.
<b>Hand protection</b>	Chemical resistant gloves (PVC)
<b>Eye protection</b>	Approved safety goggles. Avoid contact with eyes.
<b>Protective equipment</b>	Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing. Apron (Plastic or rubber) Rubber boots.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Description</b>	Liquid.
<b>Colour</b>	Amber.
<b>Odour</b>	Mild.
<b>Flash point</b>	43°C
<b>Water solubility</b>	Soluble in alcohol & ether.

## 10. STABILITY AND REACTIVITY

<b>Stability</b>	Stable under normal conditions.
<b>Conditions to avoid</b>	Heat, sparks and open flames.
<b>Materials to avoid</b>	Oxidising agents. Acids.
<b>Hazardous decomposition products</b>	Carbon oxides. Nitrogen oxides.

## 11. TOXICOLOGICAL INFORMATION

<b>Acute toxicity</b>	Headache, nausea and vomiting. In severe cases, may cause loss of consciousness. Harmful if absorbed through the skin.
<b>Corrosivity</b>	May cause irritation to skin.
<b>Repeated or prolonged exposure</b>	Prolonged or repeated exposure may cause irritation to skin and mucous membranes. Repeated or prolonged exposure may cause dermatitis.

## 12. ECOLOGICAL INFORMATION

<b>Ecotoxicity</b>	No data is available on this product.
--------------------	---------------------------------------

## 13. DISPOSAL CONSIDERATIONS

<b>General information</b>	Can be incinerated if in compliance with local and national regulations. Dispose of in compliance with all local and national regulations.
<b>Disposal of packaging</b>	Empty containers can be sent for disposal or recycling.

# Fiddes Hard Wax Oil

Revision 7  
Revision date 20-Jan-2011

## 14. TRANSPORT INFORMATION

### ADR/RID

UN 1263  
Class 3  
Proper Shipping Name PAINT .

Packing group III  
Hazard ID 33

### IMDG

UN 1263  
Class 3  
EmS Code F-E S-E

Packing group III  
Marine pollutant .

### IATA

UN 1263  
Class 3  
Packing Instruction 310  
(Cargo)  
Packing Instruction 309  
(Passenger)

Packing group III  
Subsidiary risk -  
Maximum quantity 220 L  
Maximum quantity 60 L

## 15. REGULATORY INFORMATION

**Labelling** The product is classified in accordance with 67/548/EEC.

**Symbols** Xn - Harmful



**Risk phrases** R10 - Flammable.  
R65 - Harmful: may cause lung damage if swallowed.  
R66 - Repeated exposure may cause skin dryness or cracking.

**Safety phrases** S62 - If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

## 16. OTHER INFORMATION

**Text of risk phrases in Section 2** R10 - Flammable.  
R65 - Harmful: may cause lung damage if swallowed.  
R66 - Repeated exposure may cause skin dryness or cracking.

**Further information** The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

**Revision** This document differs from the previous version in the following areas:  
2 - hazardous ingredients.