

QSTRIP

A bio-degradable paint remover that cleans up in water.

Advantages

- No strong caustic chemicals.
- Removes coating without adversely affecting the underlying timber.
- Will remove most conventional coatings.

Typical Applications

Designed for wood but may be applied to glass, metal, concrete, plaster or masonry.

Coverage

• 2.5m² per litre.

Application Method

By broom, brush.

Good preparation is key to a professional looking, long lasting finish:

- 1. The removal process depends upon the type of coating and the number of coats that are being removed.
- 2. Test a small area prior to application to determine the thickness of the QSTRIP required and the time needed to allow it to work.
- 3. Generally, two applications will work, however sometimes a third application may be required.
- 4. Leave QSTRIP for a minimum of 40 minutes to soften and dissolve the film. Thicker coatings may take a few hours.
- 5. On stubborn coatings use a stiff broom or brush, (pay close attention to cracks and grooves), then remove by scraping, scrubbing or power wash.
- 6. When the film is completely removed wash with water and then allow to dry.

Precaution

- Do not use on plastic surfaces.
- Do not use if rain is forecast.
- Do not allow to dry out.

QSTRIP (4925)

Issued 03/06/2019

Page 1

The information in this data sheet represents typical values. Application variables affect product performance therefore this information should be used as a guide. The user must satisfy themselves as to the suitability of this product for their requirements. Mirotone assumes no liability for use of this information.

QSTRIP

QUANTUM

A bio-degradable paint remover that cleans up in water.

Properties	Finish	Not Required.
	VOC Level	Not Required.
	Thinner	Not required.
	Pack Sizes	1L, 4L, 10L.
	Product Code	4925.
	Clean Up	Water clean-up.

Health & Safety

Before handling, refer to the Safety Data Sheet (SDS) for health and safety information. Ensure that all people using this product have read and understood this data sheet, the associated SDS and packaging label before using this product.

QSTRIP (4925) Issued 06/06/2019 Page 2 The information in this data sheet represents typical values. Application variables affect product performance therefore this information should be used as a guide. The user must satisfy themselves as to the suitability of this product for their requirements. Mirotone assumes no liability for use of this information.

www.qtf.com.au

Free call 1800 053 018 quantum@qtf.com.au Free call 0800 34 64 74 (NZ)

information@mirotone.co.nz